


TRION MODEL 442501-025

HOME
WINDOW AIR CONDITIONERS
PORTABLE AIR CONDITIONERS
DEHUMIDIFIERS
AIR PURIFIERS
CONSUMER PARTS
STEP-BY-STEP HELP
FAQ
CUSTOMER SERVICE
WARRANTY

SHOW ORDER




**62 CADR**  
**Electronic Air Purif**  
**CLEANS 10' x 10'**

- Forever Filter - no expen
- 90-day Limited Warranty
- Charcoal filter removes t
- Easy cleaning
- Quiet operation


442501-025 \$115.00

Order

BEST AVAILABLE COPY



**Easy-to-Use**  
**Rotary Controls**



ELECTRICAL OUTLET

SPECIFICATIONS	
Model #	44 2501-025
PERFORMANCE	
CADR	
Room Size (Sq. Ft.)	
ELECTRICAL REQUIREMENTS	
Voltage	
Watts	
Plug Cap. Amps	
Plug Type	
FEATURES	
Pre-Filter	
Charcoal Filter	
Negative Ion Generator	
Fast Dry Mode (for drying filter after washing)	
Fan Speeds	
CABINET SIZE	
Width (in)	
Depth (in)	
Height (in)	

Standard 115 Volt

**SHIPPING**

Shipping Weight (lbs)

*Visual appearance and specifications can change*

442501-025 \$115.00

Order

WINDOW AIR CONDITIONERS

PORTABLE AIR CONDITIONERS

DEHUMIDIFIERS

AIR PURIFIERS

*Thank you for shopping at FeddersOutlet.com... we appreciate your business!  
Investors please visit [www.fedders.com](http://www.fedders.com). Click [here](#) to view our privacy policy.*

HOME
WINDOW AIR CONDITIONERS
PORTABLE AIR CONDITIONERS
DEHUMIDIFIERS
AIR PURIFIERS
CONSUMER PARTS
STEP-BY-STEP HELP
FAQ
CUSTOMER SERVICE
WARRANTY


SHOW ORDER

# FEDDERS

## Air Treatment

### OUTLET

## AIR PURIFIERS



Save Up to \$200  
Over 5 Years!



With the Forever Filter, dust a metal plates and simply washed : can save you up to \$200 over the to HEPA-type filters.

WINDOW AIR CONDITIONERS


PORTABLE AIR CONDITIONERS

DEHUMIDIFIERS


AIR P

Thank you for shopping at FeddersOutlet.com... we appreciate your business.  
Investors please visit [www.fedders.com](http://www.fedders.com). Click [here](#) to view our privacy policy.

TRION  
442501-025







**WARNING**

DO NOT USE  
IN A HAZARDOUS  
CIRCUIT OR IN  
APPLICATIONS  
REQUIRING  
SAFETY

DO NOT TOUCH  
INTERNAL PARTS  
WHEN THE UNIT IS  
OPERATING

QUESTIONS?

1-800-775-1111

**CAUTION**

DO NOT OPEN THE COVER

UNLESS YOU ARE QUALIFIED

TO DO SO. IF YOU ARE NOT

QUALIFIED, CONTACT A

QUALIFIED ELECTRICIAN

FOR ASSISTANCE.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

**CAUTION**

DO NOT OPEN THE COVER

UNLESS YOU ARE QUALIFIED

TO DO SO. IF YOU ARE NOT

QUALIFIED, CONTACT A

QUALIFIED ELECTRICIAN

FOR ASSISTANCE.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.

DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS


OPERATING.


DO NOT TOUCH THE

INTERNAL PARTS OF THE

UNIT WHEN IT IS

OPERATING.






**READ THIS FIRST.**  
This is a very important document. It contains information that is vital to the success of your project. Please read it carefully and follow the instructions to the letter. If you do not, you may cause serious damage to your equipment and your project. Thank you for your cooperation.


**Checklist of 4 items:**  
1. Check the power supply. 2. Check the connections. 3. Check the settings. 4. Check the output.

**How to use the attached equipment:**  
1. Turn on the power. 2. Set the controls. 3. Load the material. 4. Start the process. 5. Monitor the results. 6. Stop the process. 7. Remove the material. 8. Clean up.

**Notes:**  
- Do not touch the moving parts.  
- Do not use flammable liquids.  
- Do not use open flames.  
- Do not use high voltage.  
- Do not use sharp tools.  
- Do not use heavy weights.  
- Do not use excessive force.  
- Do not use excessive heat.  
- Do not use excessive pressure.  
- Do not use excessive speed.  
- Do not use excessive time.







**Sauro Research 9000**  
A WINDMERE COMPANY CUBIC FT. PER HOUR  
**ELECTRONIC AIR CLEANER**

Model 9000

100V

50/60Hz

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L

1.5L


1.5L


1.5L



1.5L




1.5L



1.5L













**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**